LETTERS

Edited by Jennifer Sills

Basic science: Bedrock of progress

ALMOST 4 YEARS ago, one of us (F.S.C.) wrote an Editorial (*I*) affirming the continued importance of basic research to the National Institutes of Health (NIH) mission. The Editorial emphasized that basic scientific discovery is the engine that powers the biomedical enterprise, and NIH continues to spend more than half its budget supporting basic research projects. This is critical, because the private sector generally funds projects that yield a more rapid return on investment.

Despite these assurances, some members



of the community believe that NIH's interest in basic science is flagging. For example, investigators have told us that the requirement for a "Public Health Relevance" statement in every NIH research grant application suggests that every project must relate directly to a public health concernthat NIH places less value on projects that cannot be expected to yield an immediate public health benefit. This is simply not true. As we wrote in our Strategic Plan (2), we recognize that many of the most important medical advances trace back to basic research that had no explicit disease link. To address this concern, we have revised our application instructions (3) so that the Public Health Relevance statement reflects the NIH mission and our commitment to supporting a robust, diverse research portfolio, including the pursuit of basic biological knowledge.

We are particularly concerned that misperceptions about NIH's priorities and interests may be causing investigators to submit fewer basic research applications. For example, the National Institute of

Neurological Disorders and Stroke (NINDS) noticed a gradual and significant decline in the number of basic grants awarded between 1997 and 2012 (4). This decrease in awards was not a consequence of peer review given that basic grant applications actually did substantially better in review than applied research proposals. Instead, the major driver of this decline was a decrease in the number of fundamental basic research applications submitted.

The taxpayer investment in NIH has yielded spectacular returns from basic science over the long term. These range from the discoveries of the low-density lipoprotein receptor (5) and the development of CRISPR-associated protein-9 nuclease (6, 7) to recent substantial advances in structural biology through cryo-electron microscopy (8). For this track record of success to continue, we must continue our vigorous support of the pursuit of fundamental knowledge. All of NIH's senior leaders believe strongly that progress toward these goals occurs most rapidly when investigators pursue their passions, whether they lie in basic research or in applied, disease-focused studies. By supporting a broad portfolio of basic, translational, population, and clinical research, NIH will continue to lead the way toward a healthier future.

Francis S. Collins,1* James M. Anderson,2 ${\it Christopher\,P.\,Austin, ^3\,James\,F.}$ Battey, 4 Linda S. Birnbaum, 5 Josephine P. Briggs, Janine A. Clayton, Bruce Cuthbert,8 Robert W. Eisinger,9 Anthony S. Fauci, 10 John I. Gallin, 11 Gary H. Gibbons,12 Roger I. Glass,13 Michael M. Gottesman,14 Patricia A. Gray,15 Eric D. Green,16 Franziska B. Greider,17 Richard Hodes,18 Kathy L. Hudson,1 Betsy Humphreys, 19 Stephen I. Katz, 20 George F. Koob, 21 Walter J. Koroshetz, 22 Michael S. Lauer, 23 Jon R. Lorsch, 24 Douglas R. Lowy,²⁵ John J. McGowan,²⁶ David M. Murray,27 Richard Nakamura,28 Andrea Norris,²⁹ Eliseo J. Perez-Stable,³⁰ Roderic I. Pettigrew,31 William T. Riley,32 Griffin P. Rodgers, 33 Paul A. Sieving, 34 Martha J. Somerman, 35 Catherine Y. Spong, 36 Lawrence A. Tabak, 1 Nora D. Volkow, 37 Elizabeth L. Wilder³⁸

Office of the Director, NIH, Bethesda, MD 20892, USA. ²Division of Program Coordination, Planning, and Strategic Initiatives, NIH, Bethesda, MD 20892, USA. ³National Center for Advancing Translational Science, NIH, Rockville, MD 20850, USA. ⁴National Institute on Deafness and Other Communication Disorders, NIH, Bethesda, MD 20892, USA. ⁵National Institute of Environmental Health Sciences, NIH, Research Triangle Park, NC 27709, USA. ⁶National Center for Complementary and Integrative Health, NIH, Bethesda, MD 20892, USA. ⁷Office of Research on Women's Health, NIH, Bethesda, MD 20892, USA. ⁸National Institute of Mental Health, NIH, Bethesda, MD 20892, USA. ⁸National Institute of Mental Health, NIH, Bethesda, MD 20892, USA.

9Office of AIDS Research, NIH, Bethesda, MD 20892, USA. ¹⁰National Institute of Allergy and Infectious Diseases, NIH, Bethesda, MD 20892, USA. ¹¹Clinical Center, NIH, Bethesda, MD 20892, USA. 12 National Heart, Lung, and Blood Institute, NIH, Bethesda, MD 20892, USA. 13 Fogarty International Center, NIH, Bethesda, MD 20892, USA. 14Office of Intramural Research, NIH, Bethesda, MD 20892, USA. 15 National Institute of Nursing Research, NIH, Bethesda, MD 20892, USA. 16 National Human Genome Research Institute, NIH, Bethesda, MD 20892, USA. 17 Office of Research Infrastructure Programs, NIH, Bethesda, MD 20892, USA. ¹⁸National Institute on Aging, NIH, Bethesda, MD 20892, USA. ¹⁹National Library of Medicine, NIH, Bethesda, MD 20892, USA. 20 National Institute of Arthritis and Musculoskeletal and Skin Diseases, NIH, Bethesda, MD 20892, USA. 21 National Institute on Alcohol Abuse and Alcoholism, NIH, Bethesda, MD 20892, USA. ²²NINDS, NIH, Bethesda, MD 20892, USA. 23 Office of Extramural Research, NIH, Bethesda, MD 20892, USA. 24 National Institute of General Medical Sciences, NIH, Bethesda, MD 20892, USA. 25 National Cancer Institute, NIH, Bethesda, MD 20892, USA. 26 Office of Management, NIH, Bethesda, MD 20892, USA. 27 Office of Disease Prevention, NIH, Bethesda, MD 20892, USA, $^{\rm 28} Center$ for Scientific Review, NIH, Bethesda, MD 20892, USA. ²⁹Center for Information Technology, NIH, Bethesda, MD 20892, USA. 30 National Institute on Minority Health and Health Disparities, NIH, Bethesda, MD 20892, USA. 31 National Institute of Biomedical Imaging and Bioengineering, NIH, Bethesda, MD 20892, USA. 32Office of Behavioral and Social Sciences Research, NIH, Bethesda, MD 20892, USA. 33 National Institute of Diabetes and Digestive and Kidney Diseases, NIH, Bethesda, MD 20892, USA. 34 National Eye Institute, NIH, Bethesda, MD 20892, USA. 35 National Institute of Dental and Craniofacial Research, NIH, Bethesda, MD 20892, USA. 36 Eunice Kennedy Shriver National Institute of Child Health and Human Development, NIH, Bethesda, MD 20892, USA. 37 National Institute on Drug Abuse, NIH, Bethesda, MD 20892, USA. 38Office of Strategic Coordination, NIH, Bethesda, MD 20892, USA.

*Corresponding author. E-mail: collinsf@mail.nih.gov

REFERENCES

- 1. F. S. Collins, Science 337, 503 (2012).
- 2. NIH, NIH-Wide Strategic Plan (www.nih.gov/about-nih/nih-wide-strategic-plan).
- NIH, Grant Application Instructions (http://grants.nih. gov/grants/how-to-apply-application-guide/forms-d/ general/g.220-r&r-other-project-information-form. htm#8)
- S. Landis, Back to Basics: A call for fundamental neuroscience research (http://blog.ninds.nih.gov/2014/03/27/back-to-basics/).
- 5. M. S. Brown, J. L. Goldstein, Science 232, 34 (1986).
- 6. M. Jinek et al., Science 337, 816 (2012)
- L. Cong et al., Science 339, 819 (2013).
- A. Bartesaghi et al., Proc. Natl. Acad. Sci. U.S.A. 111, 11709 (2014).

A research symbiont

M. MCNUTT ("#IAMARESEARCHPARASITE," Editorial, 4 March, p. 1005) can be proud to be a "research parasite." The creators of this term, Longo and Drazen (1), miss the very point of scientific research when they write that researchers may "even use the [open] data to try to disprove what the original investigators had posited." It is at the core of the scientific paradigm that researchers take nothing as final truth. In fact, using research data to try to disprove a result is

good scientific practice, especially in light of the replication crisis (2–4).

However, Longo and Drazen are right that scientific data sharing deserves recognition. They suggest that credit for data sharing should take the form of co-authorship, but co-authorship as the sole instrument of credit will unnecessarily restrict the potential of data sharing and could be a detriment to the original researcher (for instance, if the resulting publications lack quality) (5). In the case of replication studies and meta-analyses, co-authorship makes no scientific sense.

A more suitable instrument would be a much higher appraisal of data sharing by research communities through citations of data sets, awards, and the consideration of data "production" in career prospects, funding applications, and evaluations. With this end in mind, research parasites are beneficial for the organism as a whole.

Benedikt Fecher^{1,2,3}* and Gert G. Wagner^{1,4}

¹German Institute for Economic Research, 10117, Berlin, Germany. ²Alexander von Humboldt Institute for Internet and Society, 10117, Berlin, Germany. ³Leibniz Association, 10115, Berlin, Germany. ⁴Max Planck Institute for Human Development, 14195, Berlin, Germany.

*Corresponding author. E-mail: benedikt.fecher@ hiig.de

REFERENCES

- 1. D. L. Longo, J. M. Drazen, N. Engl. J. Med. 374, 276 (2016).
- Open Science Collaboration, Science 349, aac4716 (2015).
- 3. C. F. Camerer et al., Science 351, 1433 (2016).
- C. J. Anderson et al., Science 351, 1037 (2016)
- 5. T. Rohlfing, J.-B. Poline, *NeuroImage* **59**, 4189 (2012).

Pseudonymous fame

J. BOHANNON'S In Depth story "Fight over author pseudonyms could flare again" (26 February, p. 902) described problems stemming from authors using the pseudonymous screen names under which they had done their research instead of their real names. The most famous case of pseudonymous authorship occurred over a century ago in the form of William Sealy Gosset's famous 1908 paper "The probable error of a mean," for which he used the simple pseudonym Student (1). This work set the stage for what is now known as Student's t test, a hypothesis-testing tool familiar to practically every analyst and statistician. Gosset was employed by Arthur Guinness and Sons brewery in Dublin, and legend holds that his use of a pen name was prompted by the company's concern for secrecy in their use of statistical methods for quality control.

Gosset's case notwithstanding, pseudonyms will hopefully not become a more

regular occurrence. Ephemeral screen names may be acceptable for Internet message boards, but their use in research papers may ultimately lower the public's perception of the transparency, integrity, and timelessness of the permanent scientific record of human knowledge.

Michael C. Wendl

McDonnell Genome Institute and Departments of Mathematics and Genetics, Washington University, St. Louis, MO 63108, USA. E-mail: mwendl@watson.wustl.edu

REFERENCE

1. Student, Biometrika 6,1(1908).

TECHNICAL COMMENT ABSTRACTS

Comment on "Single-trial spike trains in parietal cortex reveal discrete steps during decision-making"

Michael N. Shadlen, Roozbeh Kiani,

William T. Newsome, Joshua I. Gold,
Daniel M. Wolpert, Ariel Zylberberg,
Jochen Ditterich, Victor de Lafuente,
Tianming Yang, Jamie Roitman
Latimer et al. (Reports, 10 July 2015, p.
184) claim that during perceptual decision
formation, parietal neurons undergo onetime, discrete steps in firing rate instead of
gradual changes that represent the accumulation of evidence. However, that conclusion
rests on unsubstantiated assumptions about
the time window of evidence accumulation,
and their stepping model cannot explain
existing data as effectively as evidence-accumulation models.

Full text at http://dx.doi.org/10.1126/science. aad3242

Response to Comment on "Single-trial spike trains in parietal cortex reveal discrete steps during decision-making"

Kenneth W. Latimer, Jacob L. Yates, Miriam L. R. Meister, Alexander C. Huk, Jonathan W. Pillow

Shadlen *et al.*'s Comment focuses on extrapolations of our results that were not implied or asserted in our Report. They discuss alternate analyses of average firing rates in other tasks, the relationship between neural activity and behavior, and possible extensions of the standard models we examined. Although interesting to contemplate, these points are not germane to the findings of our Report: that stepping dynamics provided a better statistical description of lateral intraparietal area spike trains than diffusion-to-bound dynamics for a majority of neurons.

Full text at http://dx.doi.org/10.1126/science.





Basic science: Bedrock of progress

Francis S. Collins, James M. Anderson, Christopher P. Austin, James F. Battey, Linda S. Birnbaum, Josephine P. Briggs, Janine A. Clayton, Bruce Cuthbert, Robert W. Eisinger, Anthony S. Fauci, John I. Gallin, Gary H. Gibbons, Roger I. Glass, Michael M. Gottesman, Patricia A. Gray, Eric D. Green, Franziska B. Greider, Richard Hodes, Kathy L. Hudson, Betsy Humphreys, Stephen I. Katz, George F. Koob, Walter J. Koroshetz, Michael S. Lauer, Jon R. Lorsch, Douglas R. Lowy, John J. McGowan, David M. Murray, Richard Nakamura, Andrea Norris, Eliseo J. Perez-Stable, Roderic I. Pettigrew, William T. Riley, Griffin P. Rodgers, Paul A. Sieving, Martha J. Somerman, Catherine Y. Spong, Lawrence A. Tabak, Nora D. Volkow and Elizabeth L. Wilder (March 24, 2016) Science 351 (6280), 1405. [doi: 10.1126/science.351.6280.1405-a]

Editor's Summary

This copy is for your personal, non-commercial use only.

Article Tools Visit the online version of this article to access the personalization and

article tools:

http://science.sciencemag.org/content/351/6280/1405.1

Permissions Obtain information about reproducing this article:

http://www.sciencemag.org/about/permissions.dtl

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published weekly, except the last week in December, by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. Copyright 2016 by the American Association for the Advancement of Science; all rights reserved. The title *Science* is a registered trademark of AAAS.